

LED T8 SERIES 3

Order code	Description
64662	LED/T8/S3/9W/840/24/STD
64663	LED/T8/S3/13W/840/36/STD
64664	LED/T8/S3/15W/835/48/STD
64665	LED/T8/S3/15W/840/48/STD
64666	LED/T8/S3/15W/850/48/STD
64667	LED/T8/S3/18W/835/48/STD
64668	LED/T8/S3/18W/840/48/STD
64669	LED/T8/S3/18W/850/48/STD
64815	LED/T8/S3/9W/830/24/STD/SMX
64816	LED/T8/S3/9W/835/24/STD/SMX
64832	LED/T8/S3/9W/840/24/STD/SMX
64817	LED/T8/S3/13W/830/36/STD/SMX
64818	LED/T8/S3/13W/835/36/STD/SMX
64833	LED/T8/S3/13W/840/36/STD/SMX
64837	LED/T8/S3/18W/830/48/STD/SMX
64838	LED/T8/S3/18W/835/48/STD/SMX
64820	LED/T8/S3/18W/840/48/STD/SMX
64821	LED/T8/S3/18W/850/48/STD/SMX

LED T8 METRIC

Order code	Description
65049	LED/T8/15W/835/46/METRIC/STD
65050	LED/T8/15W/840/46/METRIC/STD

LED T8 SERIES 4

Order code	Description
66801	LED/T8/S4/9W/835/24/STD
65473	LED/T8/S4/9W/840/24/STD
67000	LED/T8/S4/11W/840/36/STD
65474	LED/T8/S4/13W/835/48/STD
65475	LED/T8/S4/13W/840/48/STD
65476	LED/T8/S4/13W/850/48/STD
65477	LED/T8/S4/15W/835/48/STD
65478	LED/T8/S4/15W/840/48/STD
65479	LED/T8/S4/15W/850/48/STD
65504	LED/T8/S4/9W/830/24/STD/SMX
65505	LED/T8/S4/9W/835/24/STD/SMX
65506	LED/T8/S4/9W/840/24/STD/SMX
67001	LED/T8/S4/11W/835/36/STD/SMX
67002	LED/T8/S4/11W/840/36/STD/SMX
65507	LED/T8/S4/13W/830/48/STD/SMX
65508	LED/T8/S4/13W/835/48/STD/SMX
65509	LED/T8/S4/13W/840/48/STD/SMX
65510	LED/T8/S4/13W/850/48/STD/SMX
65511	LED/T8/S4/15W/830/48/STD/SMX
65512	LED/T8/S4/15W/835/48/STD/SMX
65513	LED/T8/S4/15W/840/48/STD/SMX
66265	T8HO/S4/15W/840/48/STD
65514	LED/T8/S4/15W/850/48/STD/SMX

1



120-277 V (1/3)

	Ballast Description			1 La	amp	2 La	ımps	3 La	mps	4 Lamps		Ballast
		Number	Starting				Input \	/oltage				version
Brand	Order code	of lamps	Method	120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	
Arosto	ACT2P32ISUNV	2	IS									/
Arcata	ACT4P32ISUNV	4	IS									/
	ICN-1P32-N	1	IS									/
	IOPA-1P32-N	1	IS									REV B
	IOPA-1P32-LW-N	1	IS									REV A
	ICN-2P32-N	2	IS									REV C/E
	ICN-2P32-SC	2	IS									/
	ICN-2S40-N	2	RS									/
	IOPA-2P32-N	2	IS									REV A
	IOPA-2P32-LW-N	2	IS									REV B
Advance	RCN-2S32-SC	2	PS									REV D
	REL-2P32-SC	2	IS									/
	RELB-2S40-N	2	RS									/
	REZ-2S32-SC	2	PS									REV E
	ICN-3P32-N	3	IS									REV C
	ICN-4P32-N	4	IS									/
	ICN-4P32-SC	4	IS									REV D
	REL-4P32-RH-TP	4	IS									/
	GOPA-2P32-LW-N35M	4	IS									/
	VE232MVHIP	2	IS									/
	VE232MVHIPE	2	IS									/
	VE232MVHIPHE	2	IS									/
ESPEN	VE232MVHIPLE	2	IS									/
	VE432MVHIP	4	IS									/
	VE432MVHIPE	4	IS									/
	VE432MVHIPHE	4	IS									/
	NPY-120-232-LT8	2	PS									/
	NPY-120-432-T8B	4	IS									/
	NPY-120-432-T8-IS	4	IS									/
Fulham	WHCG3-120-T8-IS	3	IS									/
	WHCG5-120-T12-RS	2	RS									/
	WH2-120-L	1	IS									/
	WH5-120-L	4	IS									/
	FB232MVE	2	IS									/
	FB232MVE-HE	2	IS							V 120 V 277 V	/	
	FB232MVE-LHE	2	IS									/
Fusion	FB232MVE-PPS-HE	2	PS									/
- Tusion	FB332MVE	3	IS									/
	FB432MVE	4	IS									/
ESPEN	FB432MVE-HE	4	IS									/
	FB432MVE-PPS-HE	4	PS									/

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N



120-277 V (2/3)

	Ballast Description			1 La	amp	2 La	ımps	3 La	mps	4 Lamps		D
		Num-	Ctarting				Input \	/oltage				Ballast version
Brand	Order code	ber of lamps	Starting Method	120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	Voroion
	GE132MAXP-N/ULTRA	1	IS									/
	GE 232-120RES-DIYB	2	IS									/
	GE 232-120-PS-N	2	PS									/
	GE232MAX-G-N	2	IS									/
	GE232MAXP-L/ULTRA	2	IS									/
	GE232MAX-N/ULTRA	2	IS									/
	GE232MAXP-H/ULTRA	2	IS									/
0.5	GE232-MV-N	2	IS									/
GE	GE232-MVPS-L	2	PS									/
	GE232-MVPS-L	2	PS									/
	GE-232-MVPS-H	2	PS									/
	GE332MAX-L/ULTRA	3	IS									/
	GE332MAX90-V60	3	IS									/
	GE332MV-N-DIY	3	IS									/
	GE432MAX-H/ULTRA	4	IS									/
	GE432MAX-H-42T	4	IS									/
	GH2P59ISUNV	2	IS									/
Green Hill	GH4P32ISUNV	4	IS								277 V	/
	EP232IS/H/MV/HE	2	IS									/
	EP332IS/L/MV/HE	3	IS									/
Halco	EP332IS/MV/MC	3	IS									/
	EP432IS/L/MV/HE	4	IS									/
	EP432IS/MV/MC	4	IS									/
Howard	EP4/32IS/MV/MC/HE	4	IS									/
	ENI-T8-32-P2SC-N	2	IS									/
Huafeng	ENI-T8-32-P4MC-N	4	IS									/
	KTEB-232-UV-IS-N-P	2	IS									/
Keystone	KTEB-332-UV-IS-N-P	3	IS									/
	KTEB-432-UV-IS-N-P	4	IS									/
	QHE 2x32T8/UNV DIM-TC	2	PS									/
	QHE 2x32T8/UNV ISL SC	2	IS									/
0	QTP 2x32T8/UNV ISN-SC	2	IS									/
Osram	QTP 3x32T8/UNV PSX-SC	3	PS									/
	QHE 4x32T8/UNV PSN-SC	4	PS									/
	QTP 4x32T8/UNV ISN-SC	4	IS									/
Doniffe	EB-332IS-U	3	IS									/
Pacific	EB-432IS-U	4	IS									/
D	BB-T8/UVH-2x32	2	IS									/
Premium	BB-T8/UVH-3x32	3	IS									/
Robertson	RSW240T12120	2	RS									/

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N



compatible

non-compatible

120-277 V (3/3)

	Ballast Description			1 La	amp	2 La	mps	3 Lamps		4 Lamps		
		Num-	Starting				Input \	/oltage		,		Ballast version
Brand	Order code	ber of lamps	Method	120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	70101011
	61128 - E232T8IS120-277/N/AS	2	IS									/
	61130 - E232T8IS120-277/N/AS/BULK	2	IS									/
	61123 - E232T8IS120/L/AS	2	IS									/
	61126 - E232T8IS120/L/AS/BULK	2	IS									/
	61113 - E232T8IS120/N/AS	2	IS									/
STANDARD	61124 - E232T8IS120/N/AS/BULK	2	IS									/
	59770 - E432T8IS120/H/90C	4	IS									/
	61120 - E432T8IS120/L/AS	4	IS									/
	61127 - E432T8IS120/L/AS/BULK	4	IS									/
	61114 - E432T8IS120/N/AS	4	IS									/
	61125 - E432T8IS120/N/AS/BULK	4	IS									/
Sunpark	SL15T	2	RS									/
Ultrasave	ER254120MHT-W	2	PS									/
Oili asave	ER454120MHT-W	4	PS									/
	B232PUSV3PLA	2	PS									REV A
	B232SR120S30	2	PS									REV E
Universal	B232IUNVHP-N	2	IS									REV B
	B332IUNVHP-A	3	IS									REV B
	B432IUNVHP-A	4	IS									REV B

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.



N/A

non-compatible

compatible

347 V

	Ballast Description			1 Lamp	4 Lamps	Ballast		
Dunad	0	Number	Starting		Input V	oltage		version
Brand	Order code	of lamps	Method		347	7 V		
Arcata	ACT2P32IS347	2	IS					/
AlGala	ACT4P32IS347	4	IS					/
	GOPA-2P32-LW-SC	2	IS					REV D
Advance	GOPA-4P32-LW-SC	4	IS					REV D
	GOPA-4P32-SC	4	IS					REV D
	FB232347E-HE	2	IS					/
	FB232347E-L	2	IS					/
Fueles	FB232347E-PPS-HE	2	PS					/
Fusion	FB432347E-HE	4	IS					/
	FB432347E-L	4	IS					/
	FB432347E-PPS-HE	4	PS					/
	GE232MAX347-H	2	IS					/
GE	GE332MAX347-H	3	IS					/
	GE432MAX347-H	4	IS					/
0	QHE 2x32 T8/347 ISL-SC	2	IS					/
Osram	QHE 2x32 T8/347 ISN-SC	2	IS					/
	60076 - E232T8IS347/H/90C	2	IS					/
	58278 - E232T8IS347/L/BULK	2	IS					/
	66152 -E232T8IS/MIC/347/L/AS/BULK	2	IS					
	10293 - E232T8IS347/N	2	IS					
07440400	66150 - E232T8IS/MIC/347/N/AS	2	IS					
STANDARD	31549 - E232T8IS347/N/BULK	2	IS					/
	66151 - E232T8IS/MIC/347/N/AS/BULK	2	IS					/
	31036 - E432T8IS347/L	4	IS					/
	56603 - E432T8IS347/L/BULK	4	IS					/
	59771 - E432T8IS347/H/90C	4	IS					/
Ultrasave	MR232347	2						/
	B232I347HE-A	2	IS					/
Universal	B432I347HE-A	4	IS					/

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.



LED T5HE

Order code
66992
66993
66994
66992 66993

120-277 V

	Ballast Description		1 La	amp	2 Lai	Ballast	
Brand	Order code	Number		Input \	oltage	version	
Drailu	Order code	of lamps	120 V	277 V	120 V	277 V	
Keystone	KTEB-228HE-UV-PS-SL	2					/
	ICN-2S28	2					REV D
Advance	ICN-2S28-T	2					REV B
	ICN-2S28-N	2					REV B
Fulham	RHA-UNV-228-LT5	2					/
GE	GE228MVPS-A	2					/
HEP	SD214-35 UNI	2					/
0.000	QHE 2x28T5/UNV PSN	2					/
Osram	QS 2x28T5/UNV PS95-SC	2					/
Robertson	PSA228T5MV	2					/
	B228PUNV-C	2					REV A
Universal	B228PUNV-N	2					REV C
	B228PU95S50D	2					REV D

347 V

	Ballast Description			2 Lamps	Ballast
Brand	Order code	Number	Input V	version	
Drailu	Order code	of lamps	347 V	347 V	
Standard	60102 - E228T5PS347/N/BULK	2			/
Stariuaru	10461 - E235T5PS347/N	2			/

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible



LED T5H0

LED T5HO SERIES 2

Order code	Description	Order code	Description
64463	LED/T5/27W/840/46/ND/STD/SMX	65480	LED/T5/S2/25.5W/840/46/STD/SMX
64464	LED/T5/27W/850/46/ND/STD/SMX	65481	LED/T5/S2/25.5W/850/46/STD/SMX
64465	LED/T5/27W/865/46/ND/STD/SMX	65482	LED/T5/S2/25.5W/865/46/STD/SMX

120-277 V (1/2)

	Ballast Description		1 La	amp	2 La	mps	3 La	ımps	4 La	amps	Ballast
Brand	Order code	Number				Input \	/oltage				version
Dianu	Order code	of lamps	120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	
AC	AC-A2/54T5XS-W	2									/
	EL1/254A26	2									/
	HCN-4S54-2LS-H	2									/
	ICN-2S54	2									REV B
	ICN-2S54-N	2									/
	ICN-2S54-T	2									REV B
Advance	ICN-2S54-90C-N	2									REV B
	IOP-2PSP54-SC	2									REV E
	IZT-2S54-D	2									REV C
	ICN-4S54-90C-2LS-G	4									REV A/B
	ICN-4S54-2LS-H	4									REV C
	IOP-4PSP54-2LS-G	4									REV H
Damar	26947A	2									/
Espen	VE454MVHRP	4									/
	RHA-UNV-254-LT5	2									/
Fulham	RHA-UNV-454-LT5	4									/
	WH5-120-L	2									/
	FB254T5MVE	2									/
Fusion	FB454T5MVE	4									/
	GE254MVPS-D	2									/
0.7	GE254MVPS-D-1	2									/
GE	GE254MVPS90-A	2									/
	GE454MVPS90-F	4									/
	EP254H0/PS/MV/MC	2									/
Halco	EP454H0/PS/MV	4									/
	SI 254-58 UNI	2									/
HEP	SD 254-58 UNI	2									/
	ENP-T5-54-S2MC	2									/
Huafeng	ENP-T5-54-S4LC	4									/
	KTEB-254H0-UV-PS/A	2									/
Keystone	KTEB-254H0-UV-PS-SL	2									Version D2
	KTEB-454H0-UV-PS	4									Version D3

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N



120-277 V (2/2)

	Ballast Description		1 La	amp	2 La	ımps	3 La	mps	4 La	amps	Ballast
Duand	Oudencede	Number				Input V	oltage				version
Brand	Order code	of lamps	120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	
Liyuan	LYEB5812	2									/
Luma	BLF254-U	2									/
Maxlite	SKEU542H0P/SC	2									/
	QHE 2x54T5H0/UNV PSN	2									/
	QT 2x54/120PHO-DIM	2									/
	QTP 2x54T5H0/UNV PSN	2									/
0	QTP 2x54T5H0/UNV PSN HT	2									/
Osram	QTP 2x54T5H0/UNV PSN 80-SC	2									/
	QHE 4x54T5H0/UNV PSN HT SCL	4									/
	QHE 4x54T5HO/UNV PSN HTL[DOE]	4									/
	QTP 4x54T5H0/UNV PSN HT W	4									/
Pacific	EB-254PRS-U	2									/
Dahawaan	PSL 254T5MV	2									/
Roberson	PSB454T5MV	4									/
Sunpark	U-2/54T5H0	2									/
0	SLFE-254 T5H0-120MV-90C	2									/
Symban	SLFE-454 T5H0-120MV-90C	4									/
	57641 - E154T5PS120-277/N/H0	1									/
STANDARD	63025 - E245T5H0PS120-277/N/XTRM	2									/
	63027 - E454T5H0PS120-277/N/XTRM	4									/
Ultrasave	ER254120MHT-W	2									/
	B254PUNV-D	2									REV C
Hairawaal	B254PUNVHB-D	2									REV A
Universal	B454PUNV-E	4									REV D
	B454PUNVHB-E	4									REV D

compatible

non-compatible

N/A

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.



N/A

non-compatible

compatible

347 V

	Ballast Description		1 Lamp	2 Lamps	3 Lamps	4 Lamps	- Ballast
		Number		Input \	/oltage		version
Brand	Order code	of lamps		34	7 V		
	HCN-2S54-90C-WL	2					REV C
Advance	HCN-4S54-2LS-H	4					REV C
	HCN-4S54-90C-2LS-G	4					REV A
Fusion	FB232347E-HE	2					/
Oorom	QHE 2x54T5H0/347-480PSN HT	2					/
Osram	QHE 4x54T5H0/347-480PSN HT SCL	4					/
Cumbon	SLFE-254 T5H0-347V-90C	2					/
Symban	SLFE-454 T5H0-347V-90C	2					/
CTANDADD	63026 - E254T5H0PS347/N/XTRM	2					/
STANDARD	63028 - E454T5H0PS347/N/XTRM	4					/

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpor recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.



LED T8 U1

 Order code
 Description

 66985
 T8/S2/15W/840/48/U1/ND/STD

120-277/347 V (1/5)

	Ballast Descrip	tion			1 Lamp			2 Lamps	3	;	3 Lamps	;	,	4 Lamps	3
Brand	Order code	Number of lamps	Starting Method	120 V	277 V	305 V	120 V	277 V	Input \	/oltage 120 V	277 V	305 V	120 V	277 V	305 V
	PM-2X32T8-UNV-IS-L	2	IS	120 V	ZIIV	303 V	120 V	ZIIV	303 V	120 V	ZIIV	303 V	120 0	ZIIV	303 V
	PM-3X32T8-UNV-IS	3	IS												
	PM-3X32T8-UNV-IS-H	3	IS												
	PM-3X32T8-UNV-IS-L	3	IS												
Eiko	PM-4X32T8-UNV-IS	4	IS												
Linto	PM-4X32T8-UNV-IS-L	4	IS												
	PM-2X32T8-UNV-IS	2	IS												
	PM-3X32T8-UNV-PS	3	PS												
	PM-3X32T8-UNV-PS-H	3	PS												
	VE232MVHIPE	2	IS												
	VE232MVHIPHE	2	IS												
	VE232MVHIPLE	2	IS												
	VE232MVHRPHT3-AB	2	PS												
	EPH4/32IS/MV/SC/HE	4	IS												
	EP3/32IS/MV/SC/HE	3	IS												
	EPL4/32IS/MV/MC/HE	4	IS												
Espen	EPH2/321S/MV/MC/HE	2	IS												
	E2/32IS-120MC	2	IS												
	EPL2/32IS/MV/MC/HE	2	IS												
	EPL3/32IS/MV/SC/HE	3	IS												
	EP4/32IS/MV/MC/HE	4	IS												
	EP2/32IS/MV/MC/HE	2	IS												
	EP3/32IS/MV/MC/HE	3	IS												
	GE-232-MV-N	2	IS												
	GE232MAX-N/ULTRA	2	IS												
	GE432MAX-H/ULTRA	4	IS												
	GE432MAX-L/ULTRA	4	IS												
	GE-232-MAX-H/Ultra	2	IS												
	GE432MAX-G-N	4	IS												
GE	GE132MAX-G-N	1	IS												
	GE132MAX-H/ULTRA	1	IS												
	GE132MAX-L/ULTRA	1	IS												
	GE132MAXP-N/ULTRA	1	IS												
	GE232MV-N-DIY	2	IS												
	GE232-120-RES	2	IS												
	GE232MAX-L/ULTRA	2	IS												

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N/



120-277/347 V (2/5)

	Ballast Description	on			1 Lamp			2 Lamps	8		3 Lamps	3		4 Lamps	S
D I	Ondon	Number	Starting						Input \	oltage					
Brand	Order code	of lamps	Method	120 V	277 V	305 V	120 V	277 V	305 V	120 V	277 V	305 V	120 V	277 V	305 V
	GE332MV-N	3	IS												
	GE332MAX-N/ULTRA	3	IS												
	GE332MAX-L/ULTRA	3	IS												
	GE332MAX-G-N	3	IS												
	GE332MAXP-H/ULTRA	3	IS												
	GE432-120-RES	4	IS												
GE	GE432MV-N-42T	4	IS												
	GE432MAX-N/ULTRA	4	IS												
	GE232-MVPS-N	2	PS												
	GE-332-MVPS-N	3	PS												
	GE432-MVPS-N	4	PS												
	GE-232-MV-PS-N	2	PS												
	FB432MVE-PPS-HE	4	PS												
	EP232IS/L/MV/SL	2	IS												
	E432IS/120/R/SL	4	IS												
Holos	EP232IS/MV/HE	2	IS												
Halco	EP332IS/MV/HE	3	IS												
	EP432IS/MV/HE	4	IS												
	EP432IS/L/MV/HE	4	IS												
	KTEB-232-UV-IS-N-P	2	IS												
	KTEB-432RIS-1-TP-SL	4	IS												
Keystone	KTEB-332-UV-IS-N-P	3	IS												
	KTEB-432-UV-IS-N-P	4	IS												
	KTEB-2C72-1-TP	1	PS												
LumaPro	4KGH1 EB-432IS-120	4	IS												
	SKEU322HEL/SC	2	IS												
	SKEU324HE/SC	4	IS												
	SKEU323L/SC	3	IS												
Maxlite	MLEU322HEL/SC	2	IS												
	MLEU323H/SC	3	IS												
	MLEU324HE/SC	4	IS												
	QTP 2X32T8/UNV ISN-SC	2	IS												
	QHE 2X32T8/UNV ISN-SC	2	IS												
	QHE 2X32T8/UNV ISL-SC	2	IS												
000000	QHE 3X32T8/UNV ISH-SC	3	IS												
Osram	QHE 4X32T8/UNV ISN-SC	4	IS												
	QHE 4X32T8/UNV ISL-SC	4	IS												
	QTP 4×32T8/UNV ISN-SC	4	IS												
	QHE 1X32T8/UNV ISN-SC	1	IS												

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatibile lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible I



120-277/347 V (3/5)

	Ballast Description	n			1 Lamp			2 Lamps	3		3 Lamps	3		4 Lamps	;
D I	0.1	Number	Starting						Input V	oltage/					
Brand	Order code	of lamps	Method	120 V	277 V	305 V	120 V	277 V	305 V	120 V	277 V	305 V	120 V	277 V	305 V
	QHE 1X32T8/UNV ISN-SC	1	IS												
	QHE 1X32T8/UNV ISL-SC	1	IS												
	QTP 1X32T8/UNV ISN-SC	1	IS												
	QHE 2X32T8/UNV ISH-SC	2	IS												
	QTP 3X32T8/UNV ISN-SC	3	IS												
	QHE 3X32T8/UNV ISN-SC	3	IS												
	QHE 3X32T8/UNV ISL-SC	3	IS												
0sram	QHE 4X32T8/UNV PSX-SC	4	PRS												
	QHE 2X32T8/UNV PSH-HT	2	PRS												
	QHE 2X32T8/UNV PSN-MC	2	PRS												
	QHE 3X32T8/UNV PSN-SC	3	PRS												
	QTP 3X32T8/UNV PSX-SC	3	PRS												
	QTP3X32T8/UNV PSN-SC	3	PRS												
	QHE 4X32T8/UNV PSN-SC	4	PRS												
	QHE 2X32T8/UNV DIM-TC	2	PRS												
PES	PES120ET8-12SMT-4	4	IS												
FLO	PES120DET8-12SMT	2	PS												
	ICN-2P32-N	2	IS												
	IOPA-2P32-N	2	IS												
	IOP-2P32-N	2	IS												
	IOP-2P32-LW-N	2	IS												
	IOPA-3P32-LW-N	3	IS												
	IOPA-4P32-N	4	IS												
	IOPA-4P32-HL-SC	4	IS												
	IOP-4P32-N	4	IS												
	IOP-4P32-LW-N	4	IS												
Advance	ICN-4P32-N	4	IS												
	IOP-1P32-N	1	IS												
	ICN-1P32-N	1	IS												
	IOPA-1P32-N	1	IS												
	IOPA-2P32HL-SC	2	IS												
	IOPA-3P32-N	3	IS												
	IOP-3P32-N	3	IS												
	REB-4P32-SC	4	IS												
	IOP-4P32-HL-SC	4	IS												
	ICN-4P32-SC	4	IS												
	ICN-3P32-N	3	IS												

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible



120-277/347 V (4/5)

	Ballast Descripti	on			1 Lamp			2 Lamps	3		3 Lamps	3		4 Lamps	3
D I	0.1	Number	Starting						Input \	/oltage					
Brand	Order code	of lamps	Method	120 V	277 V	305 V	120 V	277 V	305 V	120 V	277 V	305 V	120 V	277 V	305 V
	IOP-2PSP32-N	2	PS												
	IOP-3PSP32-SC	3	PS												
	IOP-3PSP32-LW-SC	3	PS												
	IOP-4PSP32-SC	4	PS												
Advance	IOP-4PSP32-LW-SC	4	PS												
	IOP-2S32-SC	2	PS												
	IZT-2S32-SC	2	DPS												
	IOP-2PSP32-LW-N	2	PS												
	IZT-2PSP32-SC	2	DPS												
Plusrite	BAF232IS/MV	2	IS												
Plusfile	BAF332IS/MV	3	IS												
Dobortoon	ISU232T8120 3P20116	2	IS												
Robertson	RSZ132T8120	1	PS												
Sola	E-758-F-232-SC	2	IS												
50Ia	E-758-U-232-MC	2	IS												
	120-1/32IS HPF	1	IS												
	U-2/32IS HBF	2	IS												
	U-2/32ISE-LBF	2	IS												
	U-3/32ISE	3	IS												
	U-3/32ISE-HBF	3	IS												
	120-3/32IS MP,F	3	IS												
	U-4/32IS HP,F	4	IS												
	U-4/32IS HBF	4	IS												
Sunpark	U-4/32ISE-LBF	4	IS												
	U-1/32PSE	1	PS												
	U-2/32PSE	2	RS												
	U-2/32PSE-HBF	2	RS												
	U-232PS3	2	RS												
	U-232PS3-HBF	2	RS												
	SL15T	2	RS												
	LC 12011T	1	PS												
	LC 12013T	1	PS												
Cuparian	70201	2	IS												
Superior Life	70210	2	PS												
	70211	4	PS												
	E2P32ISUNVHE	2	IS												
TCP	E4P32ISUNVLE	4	IS												
	E3P32ISUNVE	3	IS												
	E3P32ISUNVLE	3	IS												

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpor recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible



non-compatible

compatible

N/A

120-277/347 V (5/5)

	Ballast Descript	ion			1 Lamp		:	2 Lamps	3		3 Lamps	3		4 Lamps	3
Duand	Oudovoodo	Number	Starting						Input \	/oltage					
Brand	Order code	of lamps	Method	120 V	277 V	305 V	120 V	277 V	305 V	120 V	277 V	305 V	120 V	277 V	305 V
ТСР	E4P32ISUNVE	4	IS												
168	E4P32ISUNVHE	4	IS												
	B232IUNVHP-N	2	IS												
	B232IUNVEL-A	2	IS												
	B233IUNVHE-A	2	IS												
	B432IUNVHE L-A	4	IS												
	B232IUNVHEH-A	2	IS												
	B332IUNVHP-A	3	IS												
Universal	B432IUNVHP-A	4	IS												
	B232I120RES-A	2	IS												
	B432I120RES-A	4	IS												
	B132IUNVHP-N	1	IS												
	B432PUNVHE-A	4	PS												
	B232PUNVHE-B	2	PS												
	B332PUNVHE-A	3	PS												
Watran	DBG32N-MV-TP-PS-HL	4	PS												
	WHCG4-120-T8-IS	4	IS												
Work Horse	WHSG3-UNV-T8-IS	3	IS												
	WHSG4-UNV-T8-IS	4	IS												

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.



LED T8 U6

Order code	Description
66986	T8/S2/11.5W/835/48/U6/ND/STD
66987	T8/S2/11.5W/840/48/U6/ND/STD
66988	T8/S2/15W/840/48/U6/ND/STD

120-277/347 V (1/5)

	Ballast Descript	tion			1 Lamp			2 Lamps	3		3 Lamps	3		4 Lamps	3
D I	0.44.	Number	Starting						Input \	/oltage					
Brand	Order code	of lamps	Method	120 V	277 V	305 V	120 V	277 V	305 V	120 V	277 V	305 V	120 V	277 V	305 V
	PM-3X32T8-UNV-IS	3	IS												
	PM-3X32T8-UNV-IS-H	3	IS												
	PM-3X32T8-UNV-IS-L	3	IS												
Eiko	PM-4X32T8-UNV-IS	4	IS												
EIKU	PM-4X32T8-UNV-IS-L	4	IS												
	PM-2X32T8-UNV-IS	2	IS												
	PM-3X32T8-UNV-PS	3	PS												
	PM-3X32T8-UNV-PS-H	3	PS												
	VE232MVHIPE	2	IS												
Eanon	VE232MVHIPHE	2	IS												
Espen	VE232MVHIPLE	2	IS												
	VE232MVHRPHT3-AB	2	PS												
	GE-232-MV-N	2	IS												
	GE232MAX-N/ULTRA	2	IS												
	GE432MAX-H/ULTRA	4	IS												
	GE432MAX-L/ULTRA	4	IS												
	GE-232-MAX-H/Ultra	2	IS												
	GE432MAX-G-N	4	IS												
	GE132MAX-G-N	1	IS												
	GE132MAX-H/ULTRA	1	IS												
	GE132MAX-L/ULTRA	1	IS												
	GE132MAXP-N/ULTRA	1	IS												
GE	GE232MV-N-DIY	2	IS												
GL	GE232-120-RES	2	IS												
	GE232MAX-L/ULTRA	2	IS												
	GE332MV-N	3	IS												
	GE332MAX-N/ULTRA	3	IS												
	GE332MAX-L/ULTRA	3	IS												
	GE332MAX-G-N	3	IS												
	GE332MAXP-H/ULTRA	3	IS												
	GE432-120-RES	4	IS												
	GE432MV-N-42T	4	IS												
	GE432MAX-N/ULTRA	4	IS												
	GE232-MVPS-N	2	PS												

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible I



120-277/347 V (2/5)

	Ballast Descripti	on			1 Lamp		:	2 Lamps	3		3 Lamps	3		4 Lamps	3
Brand	Order code	Number	Starting						Input \	/oltage					
Diana	Order code	of lamps	Method	120 V	277 V	305 V	120 V	277 V	305 V	120 V	277 V	305 V	120 V	277 V	305 V
	GE-332-MVPS-N	3	PS												
GE	GE432-MVPS-N	4	PS												
	GE-232-MV-PS-N	2	PS												
	EP232IS/L/MV/SL	2	IS												
	E432IS/120/R/SL	4	IS												
Halco	EP232IS/MV/HE	2	IS												
Halou	EP332IS/MV/HE	3	IS												
	EP432IS/MV/HE	4	IS												
	EP432IS/L/MV/HE	4	IS												
	EPH4/32IS/MV/SC/HE	4	IS												
	EP3/32IS/MV/SC/HE	3	IS												
	EPL4/32IS/MV/MC/HE	4	IS												
	EPH2/321S/MV/MC/HE	2	IS												
Harrand	E2/32IS-120MC	2	IS												
Howard	EPL2/32IS/MV/MC/HE	2	IS												
	EPL3/32IS/MV/SC/HE	3	IS												
	EP4/32IS/MV/MC/HE	4	IS												
	EP2/32IS/MV/MC/HE	2	IS												
	EP3/32IS/MV/MC/HE	3	IS												
	KTEB-232-UV-IS-N-P	2	IS												
	KTEB-432RIS-1-TP-SL	4	IS												
Keystone	KTEB-332-UV-IS-N-P	3	IS												
	KTEB-432-UV-IS-N-P	4	IS												
	KTEB-2C72-1-TP	1	PS												
LumaPro	4KGH1 EB-432IS-120	4	IS												
	SKEU322HEL/SC	2	IS												
	SKEU324HE/SC	4	IS												
Manda	SKEU323L/SC	3	IS												
Maxlite	MLEU322HEL/SC	2	IS												
	MLEU323H/SC	3	IS												
	MLEU324HE/SC	4	IS												
	QTP 2X32T8/UNV ISN-SC	2	IS												
	QHE 2X32T8/UNV ISN-SC	2	IS												
	QHE 2X32T8/UNV ISL-SC	2	IS												
Osram	QHE 3X32T8/UNV ISH-SC	3	IS												
	QHE 4X32T8/UNV ISN-SC	4	IS												
	QHE 4X32T8/UNV ISL-SC	4	IS												
	QTP 4×32T8/UNV ISN-SC	4	IS												

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N/



120-277/347 V (3/5)

	Ballast Descriptio	n			1 Lamp		:	2 Lamps	3	;	3 Lamps	3		4 Lamps	3
Brand	Order code	Number of lamps	Starting Method	100 V	077.1/	20E V	100 V	277 V	1	/oltage	077.1/	305 V	100 V	077.1/	205 1
	QHE 1X32T8/UNV ISN-SC	1	IS	120 V	277 V	305 V	120 V	2// V	305 V	120 V	277 V	305 V	120 V	277 V	305 \
	QHE 1X32T8/UNV ISL-SC	1	IS												
	QTP 1X32T8/UNV ISN-SC	1	IS												
	QHE 2X32T8/UNV ISH-SC	2	IS												
	QTP 3X32T8/UNV ISN-SC	3	IS												
	QHE 3X32T8/UNV ISN-SC	3	IS												
	QHE 3X32T8/UNV ISL-SC	3	IS												
Osram	QHE 4X32T8/UNV PSX-SC	4	PRS												
Ostani	QHE 2X32T8/UNV PSH-HT	2	PRS												
	QHE 2X32T8/UNV PSN-MC	2	PRS												
	QHE 3X32T8/UNV PSN-SC	3	PRS												
	QTP 3X32T8/UNV PSX-SC	3	PRS												
	QTP3X32T8/UNV PSN-SC	3	PRS												
	QHE 4X32T8/UNV PSN-SC	4	PRS												
	QHE 2X32T8/UNV DIM-TC	2	PRS												
	ICN-2P32-N	2	IS												
	IOPA-2P32-N	2	IS												
	IOP-2P32-N	2	IS												
	IOP-2P32-LW-N	2	IS												
	IOPA-3P32-LW-N	3	IS												
	IOPA-4P32-N	4	IS												
	IOPA-4P32-HL-SC	4	IS												
	IOP-4P32-N	4	IS												
	IOP-4P32-LW-N	4	IS												
	ICN-4P32-N	4	IS												
	IOP-1P32-N	1	IS												
	ICN-1P32-N	1	IS												
Advance	IOPA-1P32-N	1	IS												
	IOPA-2P32HL-SC	2	IS												
	IOPA-3P32-N	3	IS												
	IOP-3P32-N	3	IS												
	REB-4P32-SC	4	IS												
	IOP-4P32-HL-SC	4	IS												
	ICN-4P32-SC	4	IS												
	ICN-3P32-N	3	IS												
	IOP-2PSP32-N	2	PS												
	IOP-3PSP32-SC	3	PS												
	IOP-3PSP32-LW-SC	3	PS												
	IOP-4PSP32-SC	4	PS												

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible



120-277/347 V (4/5)

	Ballast Descripti	on			1 Lamp			2 Lamps	3	,	3 Lamps	3		4 Lamps	3
Brand	Order code	Number of lamps	Starting Method	120 V	277 V	305 V	120 V	277 V	Input \	/oltage 120 V	277 V	305 V	120 V	277 V	305 V
	IOP-4PSP32-LW-SC	4	PS	120 1	211	0001	120 1	211 0	0001	120 1	277 0	0001	120 1	2111	000 1
	IOP-2S32-SC	2	PS												
Advance	IZT-2S32-SC	2	DPS												
	IOP-2PSP32-LW-N	2	PS												
	IZT-2PSP32-SC	2	DPS												
	PES120ET8-12SMT-4	4	IS												
PES	PES120DET8-12SMT	2	PS												
	BAF232IS/MV	2	IS												
Plusrite	BAF332IS/MV	3	IS												
	ISU232T8120 3P20116	2	IS												
Robertson	RSZ132T8120	1	PS												
	E-758-F-232-SC	2	IS												
Sola	E-758-U-232-MC	2	IS												
	120-1/32IS HPF	1	IS												
	U-2/32IS HBF	2	IS												
	U-2/32ISE-LBF	2	IS												
	U-3/32ISE	3	IS												
	U-3/32ISE-HBF	3	IS												
	120-3/32IS MP,F	3	IS												
	U-4/32IS HP,F	4	IS												
	U-4/32IS HBF	4	IS												
Sunpark	U-4/32ISE-LBF	4	IS												
	U-1/32PSE	1	PS												
	U-2/32PSE	2	RS												
	U-2/32PSE-HBF	2	RS												
	U-232PS3	2	RS												
	U-232PS3-HBF	2	RS												
	SL15T	2	RS												
	LC 12011T	1	PS												
	LC 12013T	1	PS												
Superior	70201	2	IS												
Life	70210	2	PS												
	70211	4	PS												
	E2P32ISUNVHE	2	IS												
	E4P32ISUNVLE	4	IS												
TCP	E3P32ISUNVE	3	IS												
	E3P32ISUNVLE	3	IS												
	E4P32ISUNVE	4	IS												
	E4P32ISUNVHE	4	IS												

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible



compatible

non-compatible

120-277/347 V (5/5)

Ballast Description				1 Lamp		2 Lamps		3 Lamps		4 Lamps					
Duand	Order code	Number of lamps	Starting Method	Input Voltage											
Brand				120 V	277 V	305 V	120 V	277 V	305 V	120 V	277 V	305 V	120 V	277 V	305 V
	B232IUNVHP-N	2	IS												
	B232IUNVEL-A	2	IS												
	B233IUNVHE-A	2	IS												
	B432IUNVHE L-A	4	IS												
	B232IUNVHEH-A	2	IS												
Universal	B332IUNVHP-A	3	IS												
	B432IUNVHP-A	4	IS												
	B232I120RES-A	2	IS												
	B432l120RES-A	4	IS												
	B132IUNVHP-N	1	IS												
	B432PUNVHE-A	4	PS												
	B232PUNVHE-B	2	PS												
	B332PUNVHE-A	3	PS												
Watran	DBG32N-MV-TP-PS-HL	4	PS												
Work Horse	WHCG4-120-T8-IS	4	IS												
	WHSG3-UNV-T8-IS	3	IS												
	WHSG4-UNV-T8-IS	4	IS												

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.



LED T8 GEN 1 LAMPS

Order code	Description
63244	LED/T8/12W/840/IS/24/ND/STD
63245	LED/T8/17W/840/IS/36/ND/STD
63247	LED/T8/18W/840/IS/48/ND/STD
63248	LED/T8/18W/850/IS/48/ND/STD
63249	LED/T8/22W/835/IS/48/ND/STD
63161	LED/T8/22W/840/IS/48/ND/STD
63250	LED/T8/22W/850/IS/48/ND/STD
63163	LED/T8/22W/840/IS/48/ND/STD/SMX

STANDARD° COMPATIBLE BALLASTS - GEN 1

Brand	Order code and description
STANDARD	61113_E232T8IS120/N/AS; 61124_E232T8IS120/N/AS/BULK; 61128_E232T8IS120-277/N/AS; 60075_E232T8IS120/H/90C; 60076_E232T8IS347/H/90C; 58278_E232T8IS347/L/BULK; 31549_E232T8IS347/N/BULK; 10293_E232T8IS347/N; 59770_E432T8IS120/H/90C; 61127_E432T8IS120/L/AS/BULK; 61120_E432T8IS120/L/AS; 61134_E432T8IS120-277/L/AS; 61135_E432T8IS120-277/L/AS/BULK; 61125_E432T8IS120/N/AS/BULK; 61114_E432T8IS120/N/AS; 61129_E432T8IS120-277/N/AS; 61133_E432T8IS120-277/N/AS/BULK; 59771_E432T8IS347/H/90C; 56603_E432T8IS347/L/BULK; 31036_E432T8IS347/L; 31552_E432T8IS347/N/BULK; 10294_E432T8IS347/N; 61123_E232T8IS120/L/AS; 61126_E232T8IS120/L/AS/BULK; 61131_E232T8IS120-277/L/AS; 61132_E232T8IS120-277/L/AS/BULK

OTHER MANUFACTURERS COMPATIBLE BALLASTS - GEN 1

Brand	Model
FULHAM	WHCG3-120-T8-IS
GE	GE-432-120-N; GE-232-MVPS-L; GE-232-MVPS-H; GE-232MAX-N/ULTRA; GE-232-120-N; GE-432-277-N; GE-332MV-N; GE-232-120-PS-N
HALCO	EP432IS/MV/MC; EP432IS/L/MV/HE; EP332IS/MV/MC; EP332IS/L/MV/HE; EP232IS/MV/MC; EP232IS/L/MV/HE; EP232IS/H/MV/HE; EP132IS/MV/MC MC
PHILIPS	REZ-2S32-SC; REL-2P32-SC; IP0-4P32-LW-N; ICN-2M32-MC; ICN-1P32-N; ICN-132-MC; GOPA-2P32-SC; Advance REZ-2S32-SC; Advance REL-2P32-SC; Advance REB-2P32-SC; Advance IOPA-2P32-LW-N; Advance IOP-4P32-LW-N; Advance ICN-4P32-N; Advance ICN-3P32-N; Advance ICN-2P32-N; Advance ICN-2P32-N; Advance ICN-1P32-N
SYLVANIA	U-4/32IS HBF; U-4/32IS; U-3/32ISE LBF; U-3/32ISE HBF; U-3/32ISE; U-3/32IS HBF; U-3/32IS; U-2/32ISE LBF; U-2/32ISE HBF; U-2/32ISE; U-2/32ISE HBF; U-2/32ISE; U-2/32ISE
UNIVERSAL	B432IUNVHP-A; B232PUNVHE-B; B232IUNVHP-N

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpor recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.



LED T8 GEN 2 LAMPS

Order code	Description
64071	LED/T8/9W/830/24/STD/SMX
64072	LED/T8/9W/835/24/STD/SMX
64073	LED/T8/11W/830/36/STD/SMX
64074	LED/T8/11W/835/36/STD/SMX
63632	LED/T8/11W/840/36/STD
64075	LED/T8/12W/830/48/STD/SMX
63638	LED/T8/12W/835/48/STD
63633	LED/T8/12W/840/48/STD
63634	LED/T8/12W/850/48/STD
63635	LED/T8/17W/835/48/STD
63636	LED/T8/17W/840/48/STD
64152	LED/T8/17W/840/48/STD/SMX
63637	LED/T8/17W/850/48/STD
64153	LED/T8/17W/850/48/STD/SMX

STANDARD° COMPATIBLE BALLASTS - GEN 2

Brand	Order code and description
STANDARD	10293_E232T8IS347/N; 56558_E232T8IS120/L/BULK; 58278_E232T8IS347/L/BULK; 61113_E232T8IS120/N/AS; 10365_E332T8IS347/N; 60080_E332T8IS120/L/90C/BULK; 61122_E332T8120/N/AS; 10294_E432T8IS347/N; 56603_E432T8IS347/BULK; 61114_E432T8IS120/N/AS; 61127_E432T8IS120/L/AS/BULK

OTHER MANUFACTURERS COMPATIBLE BALLASTS - GEN 2

Brand	Model
GE	GE-232-MV-N; GE232MAX-N/ULTRA; GE432MAX-L/ULTRA; GE432MAX-H/ULTRA; GE432MVPS-N-V03*
OSRAM SYLVANIA	QHE 2X32T8/UNV ISL-SC; QTP 2X32T8/UNV ISN-SC; QHE 2X32T8/UNV ISN-SC; QTP 3X32T8/UNV ISN-SC; QHE 3X32T8/UNV ISH-SC; QHE 4X32T8/UNV ISN-SC
PHILIPS	IOP-2P32-LW-N; ICN-2P32-N; IOPA-2P32-N; IOP-2P32-N; IOPA-3P32-LW-N; IOP-4P32-LW-N; IOPA-4P32-N; IOP-4P32-N; ICN-4P32-N; IZT-2S32-SC*

^{*} dimming ballast

T8 BALLAST/DIMMER COMPATIBILITY LIST - GEN 2

Order code	Description	Order code	Description		
64071	LED/T8/9W/830/24/STD/SMX				
64072	LED/T8/9W/835/24/STD/SMX	Later (NTTT)	ADVANCE PHILIPS / IZT-2S32-SC GE / GE432MVPS-N-V03		
64073	LED/T8/11W/830/36/STD/SMX	- Lutron / NTFTV			
64074	LED/T8/11W/835/36/STD/SMX				
64075	LED/T8/12W/830/48/STD/SMX				
64152	LED/T8/17W/840/48/STD/SMX	Lutron / NTFTV	ADVANCE PHILIPS / IZT-2S32-SC		
64153	LED/T8/17W/850/48/STD/SMX				

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpor recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.