
STANPRO EMERGENCY LIGHTING DESIGN SPACING



Stanpro offers a large variety of remote heads lamps to suit every emergency lighting application.

GUIDELINES



8FT MOUNTING HEIGHT

Wattage (W)	Lamp desig- nation	Dedi- cated head	Spacing between HEADS (feet)
2	LJ^{1}	Ν	
3	LJ^{1}	Ν	
4	LJ^{1}	Ν	
5	LJ¹	Ν	
4	LR		
5	LA		
6	LA		
7	LA		
HIGH OUTPUT SERIES		SERIES	
5	LJ^2		
9	LJ^2		
14	LJ^2		
			0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150 160 170 180 190 200


Lamps are only available with the N head

² Lamps are only available with the ? head




DESIGN SPACING GUIDELINES

10FT MOUNTING HEIGHT



15FT MOUNTING HEIGHT



Lamps are only avalable with the N head


² Lamps are only avaiable with the ? head





DESIGN SPACING GUIDELINES

20FT MOUNTING HEIGHT



¹ Lamps are only avalable with the N head ² Lamps are only avalable with the ? head

OUR NEW PAR18 3 W LED REMOTE HEADS



[']For complete warranty details, please see our terms and conditions in our website.

